



KAWASAKI TERYX 750

Install Instructions

Removal

Remove; both seats, the front driveline cover, center console covers, clutch air intake, the bed, (make sure to unplug the lights) the stock muffler and mounting bracket, and the stock exhaust pipes. Save the stock header flange nuts and exhaust gaskets

Install

1. Install the supplied mid-pipe bracket under the driver side rear sway bar mount using the supplied 8x25mm bolts (See Pic 1)
2. Re-using the stock exhaust gaskets, Install the front header to the front cylinder and loosely tighten the exhaust port nuts.
3. Install the front header to the midpipe, install the pipes from the rear of the car. install the midpipe to the midpipe bracket and loosely install the supplied 8mm nut.
3. Re-using the stock exhaust gaskets install the rear head pipe to the rear cylinder and loosely tighten the exhaust ports nuts.
4. Loosely install the supplied silencer clamps to the silencer brackets.(see pic 2)
5. Install the supplied muffler brackets to the Teryx Frame as shown with the supplied washer, nut, and bolt and tighten. (see pic 3)
6. Install the LTE mufflers to the exhaust pipes and then to the frame and supplied brackets as shown (see pic 3)
7. Install the supplied springs to the mufflers and exhaust pipes.
8. Starting with the exhaust port nuts and moving to the rear of the car tighten all hardware to factory specifications.




Optional throttle body modification

From the factory the Teryx throttle body butterflies are restricted to not open fully. To allow the butterfly to open fully first remove the stock air filter housing and intake plenum. With the throttle pedal fully depressed loosen the jam nut on the shown adjuster (see pic 4) and turn the adjuster until the butterflies open fully. Tighten the jam nut and install all components in reverse order of removal.

9. Re-install the bed, clutch air intake, center console covers, front driveline cover, and both seats.

FIRST RIDE: Before taking your Teryx for the first ride make sure **NO WIRES ARE TOUCHING THE EXHAUST**. Your first ride with your Teryx after installing your new exhaust system should only be 15-20 minutes. Then let your system cool and re-tighten all the bolts and clamps.

Silencer Packing: We recommend checking you're packing every **15 to 20** hours of riding. As your decibel level will increase and without the packing will damage the internals of your silencers. No Warranty will be given for failure from lack of maintaining.



IMPORTANT MESSAGE—PLEASE READ AND UNDERSTAND!

WARRANTY LIMITATIONS

Looney Tuned Exhaust (LTE) warrants only to the original purchaser the equipment purchased is free from defects in material and workmanship under normal use and service. Components of the equipment are supplied to LTE by others and LTE warrants such components to the purchaser only to the extent that such components are warranted to LTE by the supplier. LTE's obligation under this warranty shall be limited to the repair or exchange of any part or parts which may thus prove defective under normal use and service within one year from date of invoice and which LTE examination shall disclose to LTE's satisfaction to be thus defective. This warranty is expressly in lieu of all other warranties expressed or implied and of all other obligations or liabilities on our part and LTE neither assumes, nor authorizes any other person to assume for LTE any other liability in connection with the sale of this equipment or any part thereof which has been subject to accident, negligence alteration, abuse or misuse. LTE makes no warranty what so ever in respect to accessories or parts not supplied by LTE. The term "original purchase", as used in this warranty, shall be deemed to mean that person for whom the equipment is originally invoiced. This warrant shall apply only within the boundaries of the continental United States.

The remedy defined in this statement shall be the Purchaser's exclusive remedy against Looney Tuned Exhaust (LTE). In no case shall Looney Tuned Exhaust (LTE) be liable hereunder for any consequential Damages.

THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY, WHICH EXTEND BEYOND THE FACE OF THIS STATEMENT.

